

TECHNICAL DATA SHEET

ASH SORRENTO 190



Installation and warranty:

All Floors4ever floors must be installed by an insured and professional installer who will have the necessary skills and take individual circumstances into account. Floors4ever warranty will apply only to floors which have been installed by a competent flooring installer comparable to BS8201 in the UK or equivalent standards worldwide.

Please also see our Installation guides and warranty policy for further information.

NOTE:

Wood is a product of nature - each tree has its own structure and individual colour combination. An image or a sample will therefore never be able to give you a complete picture of the finished floor. Please also note that the colour may change when exposed to light. As a guideline, darker wood species will get a more golden tone, whereas lighter species will become slightly darker. Cracked knots are filled with putty, so small gaps between the putty and wood may appear.

At the time of writing and publication of this sheet, all information is specified correctly. The company reserves the right to change the specifications of this product at any time without prior notice to third parties. The photographs used in the sheet are intended only as illustrations. No rights can be derived from them.

Product Details

Code	7018-2779
Length	1800mm
Width	190mm
Thickness	15mm
Wear Layer	3mm Oak(Quercus Robur)
Colour	Natural
Finish	Invisible Lacquer
Join	Click - 4V
Grade	ABC
Middle Later approx	9mm poplar (Populus Simonii)
Counterpart approx	2mm poplar (Populus Simonii)
Rel. humidity	7% ± 2%
Weight per unit area	Approx/ 8.15 kg/m
Pallet	40m2
Pack Size	6 Pieces 2.736 m2 (max. 16% short Lengths)

Product Details

Durability class	1
Slip Resistance	NPD
Fire behaviour	Dflsl
Emission of formaldehyde	E1
Emission of pentachlorophenol	≤ 5 ppm
Thermal conductivity	0.13 W/(mK)
Breaking strength	NPD

Address: Olympic Warehouse, 100 Colindeep Lane
London NW9 6HB

Tel: 020 3915 3792

Email: info@floors4ever.co.uk

Website: www.floors4ever.co.uk